SPECIFICATION FOR APPROVAL

Product	PIEZO BUZZER (SELF DRIVE)			
Part No.	AZ-2434S-PD			
Customer				
Approval				

Approved By	Checked By	Made By




A & B Components

http://www.speaker-tw.com


AZ-2434S-PD


Items		Units	Specifications	Conditions		
01	Rated Voltage	VDC	12			
02	Operating Voltage	VDC	3-20			
03	Rated Current (Max)	mA	10			
04	Min Sound Output	dBA	95	at 10cm		
05	Resonant Frequency	Hz	3400±500			
06	Operating Temp.	$^{\circ}\!\mathbb{C}$	-20 ~ +80			
07	Storage Temp.	$^{\circ}\!\mathbb{C}$	-30 ~ +90			
08	Tone Nature	Single				
09	Weight	g	4			
10	Lead Pin Material	Beryllium Bronze				

Frequency Response Curve



REV NO. REVISION NOTE APPROVAL DATE





TITLE:	PIEZO BUZZER		DRAWN:	Richard	04/20/2001	SCALE: 2:1	SHEET:	1 : 1
111110 1111111			DESIGNED.	R & D	DEP.	UNITS:	mm	
PART NO.	AZ - 2434S - PD	1	CHECKED:			TOLERANCE		ndinin
		- /	APPROVAL:			UNLESS OTHI ONE PLACE		
DWG NO .	DTP-1011	REV	MATERIAL:		0		DECIMAL ±	
		ILE V	MAILKIAL.	MPP	U	THREE PLAC	JE DECIMAL	± ***

A & B Components

RELIABILITY TEST

AZ-2434S-PD

	Item	Conditions	Evaluation standard		
01	Low Temp. Storage Test	A°C±2°C ,240Hr			
02	High Temp.Storage Test	B°C±2°C RH50% ,240Hr			
02 Tanan // Lumidity Changes Tank	Tomp /Uumidity Storage Test	40°C±2°C , RH90-95%			
03	Temp./Humidity Storage Test	240Hr			
		$A^{\circ}C \pm 2^{\circ}C (1Hr) \rightarrow ,20^{\circ}C \pm 2^{\circ}C$			
0.4	They weed Cheek Teet	(1Hr)			
04	Thermal Shock Test	$B^{\circ}C \pm 2^{\circ}C (1Hr) \rightarrow ,20^{\circ}C \pm 2^{\circ}C$			
		(1Hr)10 cycle	(S.P.L)Test before numerical		
		10-55Hz/1min	+10dP *wropg		
05	Vibration Test	amplitude1.5mm,X,Y,Z,3	±10dB *wrong		
		directions	(Frequency)Test before		
04	Mechanical Shock Test	+100G,Sine wave, XYZ , 3	numerical ±10%		
06	Mechanical Shock lest	impacts per axis	Humencai ±10%		
		The part shall be dropped	(Current)Test before numerical		
07	Free Drop Test	freely from a height of 75 cm	+10%		
UI	riee blop lest	onto concrete 1 time in 2 axes	=1070		
		(total 4 times)	(No crake is allowed on the		
		The part shall be subjected to	part surface after Free drop		
80	Life Burning Test	1000 hrs in the room temp with	test)		
		rated voltage applied	 After the test ,the part shall 		
09		The Part checking standard :	meet the specifications		
	Lead Wire / Pin Pull Test	Following supplier's Spec.	without any degradation in		
		Finished-part checking	appearance and performance		
		Standard			
		vertical Pull			
		i)100g MIN			
		0.05mm Thickness of ceramic			
		ii)300g MIN			
		0.1mm≤Thickness of ceramic			
		b: Horizontal Pull			
		i)700g MIN			

Remark : "A"means Storage low temp. "B"means Storage high temp